

AUTHOR INDEX

- ADLER, T.R., BEALL, G.N., CURD, J.G., HEINER, D.C. & SABHARWAL, U.K. Studies of complement activation and IgG subclass restriction of anti-thyroglobulin, 381
- ALBINI, B., MILGROM, M., NOBLE, B., ALBINI, C., OSSI, E. & ANDRES, G.A. Transplacental transmission of antibodies to tubular basement membrane in guinea-pigs with autoimmune tubulointerstitial nephritis, 153
- ALBINI, C., see ALBINI, B.
- ALM, G.V., see FUNA, K.
- AMBEGAONKAR, S., see CALVANICO, N.J.
- ANDRES, G.A., see ALBINI, B.
- ANDRES, G.A., see NOBLE, B.
- ANNERÉN, G., see FUNA, K.
- ANTONACI, S., JIRILLO, E., VENTURA, M.T., CAPURSO, A., GAROFALO, A.R. & BONOMO, L. *In vitro* effects of human lipoproteins on the immune system in healthy donors: inhibition of plaque forming cell generation and decreased frequency of NK cells, 677
- ASMA, G.E.M., LANGLOIS VAN DEN BERGH, R. & VOSSEN, J.M. Development of pre-B and B lymphocytes in the human fetus, 407
- BACON, P.A., see SCOTT, D.G.I.
- BAKER, R., see KAUL, T.N.
- BALSAMO, A., see COSTA, A.
- BANCEWICZ, J., see HAMID, J.
- BARANDUN, S., see HUWYLER, T.
- BARNETSON, R. St.C., see MERRETT, J.
- BASILE, A., see DE PAOLI, P.
- BATTISTIN, S., see DE PAOLI, P.
- BEALL, G.N., see ADLER, T.R.
- BEATTY, D.W., HANDZEL, Z.T., PECHET, M., RYDER, C.R., HUGHES, J., MCCABE, K. & TRAININ, N. A controlled trial of treatment of acquired immunodeficiency in severe measles with thymic humoral factor, 479
- BENAÏSSA-THOUW, B., see KRAADEVELD, C.A.
- BERGERON, J., see SUNDAR, S.K.
- BERNARD, D., MAURIZIS, J.-C., RUSÉ, F., CHASSAGNE, J., CHOLLET, P., SAUVEZIE, B., DE LATOUR, M. & PLAGNE, R. Presence of HLA-D/DR antigens on the membrane of breast tumour cells, 215
- BERNSTEIN, R.M., see CLAYTON, A.-L.
- BINO, T., see HAUSER, G.J.
- BITTER-SUERMAN, D., see HARTUNG, H.-P.
- BJÖRKSTÉN, B., see FUNA, K.
- BLEASDALE, K., see DEVEY, M.E.
- BONOMO, L., see ANTONACI, S.
- BOOTELLO, A., see ZABAY, J.M.
- BORASCHI, D., see TAGLIAPIETRA, A.
- BOTTAZZO, G.F., see ROITT, I.M.
- BOULTON-JONES, J.M., see MCGINLEY, E.
- BRENTJENS, J.R., see NOBLE, B.
- BRETT, S.J., PAYNE, S.N., DRAPER, P. & GIGG, R. Analysis of the major antigenic determinants of the characteristic phenolic glycolipid from *Mycobacterium leprae*, 89
- BROWN, R., see HAMID, J.
- BUNN, C., see CLAYTON, A.-L.
- BURR, M.L., see MERRETT, J.
- BUTTERWORTH, A.E., see THORNE, K.J.I.
- BUXBAUM, J.N. & KAMMERMAN, S. Immunoglobulin abnormalities in Paget's disease of bone, 200
- CALVANICO, N.J., AMBEGAONKAR, S., GEOGHEGAN, W.D. & CAREY HANLY, W. Analysis of rabbit lung lavage immunoglobulins during the course of pulmonary inflammation induced with aerosolized antigen, 300
- CAMPOS, A., see ZABAY, J.M.
- CAPURSO, A., see ANTONACI, S.
- CARAFÀ, C., see PARDO, I.
- CAREY HANLY, W., see CALVANICO, N.J.
- CARROLL, M.P., see LUKACS, K.
- CAVO, M., see LAURIA, F.
- CECCHIN, E., see DE PAOLI, P.
- CHAMBERS, J.C., see PISITSKY, D.S.
- CHANTLER, S.M., see CLAYTON, A.-L.
- CHAPUT, J., see TURCOTTE, R.
- CHASSAGNE, J., see BERNARD, D.
- CHOLLET, P., see BERNARD, D.
- CLARK, I.A., HUNT, N.H., COWDEN, W.B., MAXWELL, L.E. & MACKIE, E.J. Radical-mediated damage to parasites and erythrocytes in *Plasmodium vinckei* infected mice after injection of t-butyl hydroperoxide, 524
- CLAYTON, A.-L., BERNSTEIN, R.M., JAVASSOLI, M., SHALL, S., BUNN, C., HUGHES, G.R.V. & CHANTLER, S.M. Measurement of antibody to poly (adenosine diphosphate-ribose): its diagnostic value in systemic lupus erythematosus, 263
- COLLINS, F.M., see ORME, I.M.
- COOKE, A., see VAREY, A.-M.
- CORVALAN, J.R.F., see MCKEOWN, M.J.
- COSTA, A., DE FILIPPIS, V., BALSAMO, A., RAVARINO, N., TESTORI, O., VALMAGGIA, P. & ZOPPETTI, G. Serum autoantibodies and thyroid lymphocytic infiltration in endemic goitre, 143
- COUTINHO, S.G., see GALVÃO-CASTRO, B.
- COWDEN, W.B., see CLARK, I.A.
- CROMWELL, O., see SHAW, R.J.
- CURD, J.G., see ADLER, T.R.
- DAHA, M.R., HAZEVOET, H.M. & VAN ES, L.A. Heterogeneity, polypeptide chain composition and antigenic reactivity of autoantibodies (F-42) that are directed against the classical pathway C3 convertase of complement and isolated from sera of patients with systemic lupus erythematosus, 614
- DANG, H., FISCHBACH, M., FEY, V. & TALAL, N. Defective LN cell proliferative response to Sm antigen in mice bearing the *lpr* gene, 359
- DANIS, V.A., HARRIES, A.D. & HEATLEY, R.V. *In vitro* immunoglobulin secretion by normal human gastrointestinal mucosal tissues, and alterations in patients with inflammatory bowel disease, 159
- DE BEER, F.C., see RIDLEY, M.J.
- DEDET, J.-P., see PERRIN, L.H.
- DE FILIPPIS, V., see COSTA, A.
- DE GAST, G.C., see MUDDÉ, G.C.
- DE LA CONCHA, E.G., see ZABAY, J.M.
- DE LATOUR, M., see BERNARD, D.

- DELVES, P.J., *see* ROITT, I.M.
 DE MARCHI, S., *see* DE PAOLI, P.
 DE PAOLI, P., BATTISTIN, S., JUS, A., REITANO, M., VILLALTA, D., DE MARCHI, S., CECCHIN, E., BASILE, A. & SANTINI, G. Immunological characterization of renal glycosuria patients, 289
 DEVEY, M.E. & BLEASDALE, K. Antigen feeding modifies the course of antigen-induced immune complex disease, 637
 DIMITROPOULOS, G., *see* VAREY, A.-M.
 DIXON, F.J., *see* IZUI, S.
 DORNER, R.W., *see* MOORE, T.L.
 DOW, E.L., *see* GIBSON, P.R.
 DRAPER, P., *see* BRETT, S.J.
 DUKE, O.L., HOBBS, S., PANAYI, G.S., POULTER, L.W., RASKER, J.J. & JANOSSY, G. A combined immunohistological and histochemical analysis of lymphocyte and macrophage subpopulations in the rheumatoid nodule, 239
 DZIARSKI, R., *see* PARDO, I.
 EGGELTE, T.A., *see* KLATZER, P.R.
 EGGINK, H.F., HOUTHOFF, H.J., HUITEMA, S., WOLTERS, G., POPPEMA, S. & GIPS, C.H. Cellular and humoral immune reactions in chronic active liver disease. II. Lymphocyte subsets and viral antigens in liver biopsies of patients with acute and chronic hepatitis B, 121
 ELDER, J.H., *see* IZUI, S.
 ELEMA, J.D., *see* JANSEN, H.M.
 EL-ON, J., *see* PASSWELL, J.
 EMLÉN, W. & MANNIK, M. Effect of DNA size and strandedness on the *in vivo* clearance and organ localization of DNA, 185
 FACER, C.A., *see* KATAAHA, P.K.
 FADEN, H., *see* KAUL, T.N.
 FAIRBANKS, L.D., *see* GODAY, A.
 FAIRCLOUGH, P., *see* NICKERSON, D.A.
 FANDEUR, T., *see* PERRIN, L.H.
 FEARON, D.T., *see* LEE, J.
 FERRANDO, M.J., *see* FOA, R.
 FERRANTE, A. & MOCATTA, T.J. Human neutrophils require activation by mononuclear leucocyte conditioned medium to kill the pathogenic free-living amoeba *Naegleria fowleri*, 559
 FEY, V., *see* DANG, H.
 FIERRO, M.T., *see* FOA, R.
 FISCHBACH, M., *see* DANG, H.
 FOA, R., LUSSO, P., FIERRO, M.T., GIUBELLINO, M.C., FERRANDO, M.L. & PEGORARO, L. Effects of 12-*o*-tetradecanoyl-phorbol-13-acetate (TPA) on the colony growth of human T lymphocytes, 375
 FOA, R., *see* LAURIA, F.
 FONTÁN, G., *see* ZABAY, J.M.
 FORD, W.L., *see* HAMID, J.
 FRANKS, D., *see* THORNE, K.J.I.
 FREUD, A., HAMMARSTRÖM, L., PERSSON, M.A.A. & SMITH, C.I.E. Plasma anti-pneumococcal antibody activity of the IgG class and subclasses in otitis prone children, 233
 FRENCH, M.A.H. & HARRISON, G. Systemic antibody deficiency in patients without serum immunoglobulin deficiency or with selective IgA deficiency, 18
 FRENCH, M.A.H. & HARRISON, G. Serum IgG sub-class concentrations in healthy adults: a study using monoclonal antisera, 473
 FUCHS, H.B., SLATER, L., NOVEY, H., ONG, K. & GUPTA, S. Immunological analysis in familial common variable immunodeficiency, 29
 FUJITA, T., *see* NAKAO, Y.
 FUKUI, K., *see* YOSHIOKA, K.
 FUNA, K., ANNERÉN, G., ALM, G.V. & BJÖRKSTÉN, B. Abnormal interferon production and NK cell responses to interferon in children with Down's syndrome, 493
 FUNAKI, H., *see* KOIKE, T.
 GALBRAITH, G.M.P., THIERS, B.H. & PANDEY, J.P. Gm allotype associated resistance and susceptibility to alopecia areata, 149
 GALVÃO-CASTRO, B., SÁ FERREIRA, J.A., MARZOCHI, K.F., MARZOCHI, M.C., COUTINHO, S.G. & LAMBERT, P.H. Polyclonal B cell activation, circulating immune complexes and autoimmunity in human american visceral leishmaniasis, 58
 GARCÍA-RODRIGUEZ, M.C., *see* ZABAY, J.M.
 GAROFALO, A.R., *see* ANTONACI, S.
 GEHRUNG, M., *see* SCHMITZ, B.
 GELFAND, E.W., *see* WILLIAMS, B.R.G.
 GELLER, E., *see* HAUSER, G.J.
 GEMSA, D., *see* HARTUNG, H.-P.
 GEOGHEGAN, W.D., *see* CALVANICO, N.J.
 GIBSON, P.R., DOW, E.L., SELBY, W.S., STRICKLAND, R.G. & JEWELL, D.P. Natural killer cells and spontaneous cell-mediated cytotoxicity in the human intestine, 438
 GIBSON, P.R., VERHAAR, H.J.J., SELBY, W.S. & JEWELL, D.P. The mononuclear cells of human mesenteric blood, intestinal mucosa and mesenteric lymph nodes: compartmentalization of NK cells, 445
 GIESSEN, M.V.D., *see* JANSEN, H.M.
 GIGG, R., *see* BRETT, S.J.
 GIPS, C.H., *see* EGGINK, H.F.
 GIUBELLINO, M.C., *see* FOA, R.
 GIUBELLINO, M.C., *see* LAURIA, F.
 GOBBI, M., *see* LAURIA, F.
 GODAY, A., SIMMONDS, H.A., MORRIS, G.S. & FAIRBANKS, L.D. B cells as well as T cells form deoxynucleotides from either deoxyadenosine or deoxyguanosine, 39
 GROENEVELD, K., *see* MUDDÉ, G.C.
 GUD-XUNG, X., *see* YU-WEN, H.
 GUPTA, S., *see* FUCHS, H.B.
 HABESHAW, J.A., *see* MURRAY, L.J.
 HADDING, U., *see* HARTUNG, H.-P.
 HAKIM, R.M., *see* LEE, J.
 HALL, N.D., *see* McKEOWN, M.J.
 HALL, R., *see* WEETMAN, A.P.
 HAMID, J., BANCEWICZ, J., BROWN, R., WARD, C., IRVING, M.H. & FORD, W.L. The significance of changes in blood lymphocyte populations following surgical operations, 49
 HAMMARSTRÖM, L., *see* FREUD, A.
 HANAFUSA, T., *see* ROITT, I.M.
 HANDZEL, Z.T., *see* BEATTY, D.W.
 HANG, L.M., *see* IZUI, S.
 HARA, I., *see* IZUI, S.
 HARDIE, D., *see* PARTRIDGE, L.

- HARMSSEN, M., see KRAAIEVELD, C.A.
HARRIES, A.D., see DAVIS, V.A.
HARRISON, G., see FRENCH, M.A.H.
HARTUNG, H.-P., HADDING, U., BITTER-SUERMANN, D. & GEMSA, D. Release of prostaglandin E and thromboxane from macrophages by stimulation with Factor H, 453
HASSMAN, R., see WEETMAN, A.P.
HAUSER, G.J., BINO, T., ROSENBERG, H., ZAKUTH, V., GELLER, E. & SPIRER, Z. Interleukin-2 production and response to exogenous interleukin-2 in a patient with the acquired immune deficiency syndrome (AIDS), 14
HAZEVOET, H.M., see DAHA, M.R.
HEATLEY, R.V., see DANIS, V.A.
HEINER, D.G., see ADLER, T.R.
HENDERSON, N., see MCGINLEY, E.
HERRMANN, F. Letter to the Editor. Lymphocyte phenotypes in patients with highly reduced T inducer to T cytotoxic/suppressor ratios, 476
HUMANS, W., see SCHUIT, H.R.E.
HIRT, A., see HUWYLER, T.
HOBBS, S., see DUKE, O.L.
HODSON, M.E., see LUKACS, K.
HOLBOROW, E.J., see KATAAHA, P.K.
HOUTHOFF, H.J., see EGGINK, H.F.
HUGHES, G.R.V., see CLAYTON, A.-L.
HUGHES, J., see BEATTY, D.W.
HUTEMA, S., see EGGINK, H.F.
HUNT, N.H., see CLARK, I.A.
HUSSAIN, R., see KAUSHAL, N.A.
HUWYLER, T., MORELL, A., HIRT, A., RICCI, C., WAGNER, H.P. & BARANDUN, S. Correlation of natural killer cell function with Leu 7 reactivity in patients with humoral immunodeficiency, 486
IRVING, M.H., see HAMID, J.
ISSEKUTZ, T.B. Kinetics of cytotoxic lymphocytes in efferent lymph from single lymph nodes following immunization with vaccinia virus, 515
IZUI, S., HARA, I., HANG, L.M., ELDER, J.H., MCCONAHEY, P.J. & DIXON, F.J. Association of elevated serum glycoprotein gp70 with increased gp70 immune complex formation and accelerated lupus nephritis in autoimmune male BXSB mice, 272
JANOSY, G., see DUKE, O.L.
JANSEN, H.M., SCHUTTE, A.J.H., ELEMA, J.D., GIESSEN, M.V.D., PESET REIG, R., LEEUWEN, M.A.V., SLUITER, H.J. & THE, T.H. Local immune complexes and inflammatory response in patients with chronic interstitial pulmonary disorders associated with collagen vascular diseases, 309
JANSEN, J., see KRAAIEVELD, C.A.
JANSEN, J., see SCHUIT, H.R.E.
JEFFERIS, R., see PARTRIDGE, L.
JEWELL, D.P., see GIBSON, P.R.
JIRILLO, E., see ANTONACI, S.
JONES, T., see LEHNER, T.
JUS, A., see DE PAOLI, P.
KAKUMU, S., see YOSHIOKA, K.
KANO, K., see TAKIGUCHI, M.
KANTOR, F.S., see PACHNER, A.R.
KATAAHA, P.K., FACER, C.A. & HOLBOROW, E.J. *Plasmodium falciparum* products enhance human lymphocyte transformation by Epstein-Barr virus, 369
KAUL, T.N., FADEN, H., BAKER, R. & OGRA, P.L. Virus-induced complement activation and neutrophil-mediated cytotoxicity against respiratory syncytial virus (RSV), 501
KAUSHAL, N.A., HUSSAIN, R. & OTTESEN, E.A. Excretory-secretory and somatic antigens in the diagnosis of human filariasis, 567
KAY, A.B., see LUKACS, K.
KAY, A.B., see SHAW, R.J.
KAMMERMAN, S., see BUXBAUM, J.N.
KAWAHATA, R.T., see LEVY, J.A.
KEREN, G., see PASSWELL, J.
KINOSHITA, K., see NAKAO, Y.
KLATSKER, P.R., VAN RENS, M.M. & EGGELTE, T.A. Immunochemical characterization of *Mycobacterium leprae* antigens by the SDS-polyacrylamide gel electrophoresis immunoperoxidase technique (SGIP) using patients' sera, 537
KOHN, L.D., see ROITT, I.M.
KOIKE, T., SUEISHI, M., FUNAKI, H., TOMIOKA, H. & YOSHIDA, S. Anti-phospholipid antibodies and biological false positive serological test for syphilis in patients with systemic lupus erythematosus, 193
KOTANI, H., TAKADA, S., UEDA, Y., MURAKAWA, Y., SUZUKI, N. & SAKANE, T. Activation of immune regulatory circuits among OKT4⁺ cells by autologous mixed lymphocyte reactions, 388
KRAAIEVELD, C.A., SCHILHAM, M., JANSEN, J., BENAÏSSA-THOUW, B., HARMSSEN, M., VAN HOUTE, A.J. & SNIPPE, H. The effect of liposomal charge on the neutralizing antibody response against inactivated encephalomyocarditis and Semliki Forest virus, 509
KUSAKAWA, S., see TAKIGUCHI, M.
LAMBERT, P.H., see GALVÃO-CASTRO, B.
LANGLOIS VAN DEN BERGH, R., see ASMA, G.E.M.
LAURIA, F., FOA, R., CAVO, M., GOBBI, M., RASPA-DORI, D., GIUBELLINO, M.C., TAZZARI, P.L. & TURA, S. Membrane phenotype and functional behaviour of the T lymphocytes in multiple myeloma: correlation with clinical stages of the disease, 653
LEE, H.M., see LEVY, J.A.
LEE, J., HAKIM, R.M. & FEARON, D.T. Increased expression of the C3b receptor by neutrophils and complement activation during haemodialysis, 205
LEEUEWEN, M.A.V., see JANSEN, H.M.
LEHNER, T. & JONES, T. The role of MHC class II antigenic determinants in the function of human antigen binding T8⁺ cells, monocytes and helper and suppressor factors, 683
LEMIEUX, S., see TURCOTTE, R.
LEVINSKY, R.J., see LINCH, D.C.
LEVINSON, A.I., see PARDO, I.
LEVY, J.A., LEE, H.M., KAWAHATA, R.T. & SPITLER, L.E. Purification of monoclonal antibodies from mouse ascites eliminates contaminating infectious mouse type C viruses and nucleic acids, 114

- LINCH, D.C., LEVINSKY, R.J., RODECK, C.H., MACLENNAN, K.A. & SIMMONDS, H.A. Prenatal diagnosis of three cases of severe combined immunodeficiency: severe T cell deficiency during the first half of gestation in fetuses with adenosine deaminase deficiency, 223
- LING, N.R., *see* PARTRIDGE, L.
- LOCHE, M., *see* PERRIN, L.H.
- LUKACS, K., CARROLL, M.P., HODSON, M.E. & KAY, A.B. Receptor associated defects of cultured monocytes in bronchial carcinoma, 319
- LUSSO, P., *see* FOA, R.
- MCCABE, K., *see* BEATTY, D.W.
- MCCARTHY, D.A., *see* SCHRIEBER, L.
- MCCONAHEY, P.J., *see* IZUI, S.
- MCGINLEY, E., MARTIN, W., HENDERSON, N. & BOULTON-JONES, J.M. Defective splenic reticuloendothelial function in idiopathic membranous nephropathy, 293
- MCGREGOR, A.M., *see* WEETMAN, A.P.
- MCKEOWN, M.J., HALL, N.D. & CORVALAN, J.R.F. Defective monocyte accessory function due to surface sulphhydryl (SH) oxidation in rheumatoid arthritis, 607
- MACKIE, E.J., *see* CLARK, I.A.
- MACLENNAN, K.A., *see* LINCH, D.C.
- MADDISON, P.J., *see* SCOTT, D.G.I.
- MAINI, R.N., *see* SCHREIBER, L.
- MANNIK, M., *see* EMLIN, W.
- MARTIN, W., *see* MCGINLEY, E.
- MARZOCCHI, K.F., *see* GALVÃO-CASTRO, B.
- MARZOCCHI, M.C., *see* GALVÃO-CASTRO, B.
- MASAOKA, T., *see* NAKAO, Y.
- MATSUI, T., *see* NAKAO, Y.
- MATSUMOTO, H., *see* NAKAO, Y.
- MAURIZIS, J.-C., *see* BERNARD, D.
- MAXWELL, L.E., *see* CLARK, I.A.
- MELSON, R.D., *see* SCHRIEBER, L.
- MENEZES, J., *see* SUNDAR, S.K.
- MERRETT, J., BARNETSON, R.St.C., BURR, M.L. & MERRETT, T.G. Total and specific IgG4 antibody levels in atopic eczema, 645
- MERRETT, T.G., *see* MERRETT, J.
- MESSER, G., *see* PASSWELL, J.
- MILGROM, F., *see* TAKIGUCHI, M.
- MILGROM, M., *see* ALBINI, B.
- MILLER, K.M., PITTARD, W.B. & SORESENSEN, R.U. Cord blood B cell differentiation. Synergistic effect of pokeweed mitogen and *Staphylococcus aureus* on *in vitro* differentiation of B cells from human neonates, 415
- MIYAZAKI, T., *see* NAKAO, Y.
- MOCATTA, T.J., *see* FERRANTE, A.
- MOCHIZUKI, Y., *see* UEKI, A.
- MOORE, T.L., DORNER, R.W., SHERIDAN, P.W. & ZUCKNER, J. Precipitation of 19S IgM rheumatoid factor—IgG circulating immune complexes in patients with juvenile arthritis by polyethylene glycol and separation by immobilized protein A, 247
- MORELL, A., *see* HUWYLER, T.
- MORRIS, G.S., *see* GODAY, A.
- MUDDE, G.C., VERBERNE, C.J.M., GROENEVELD, K. & DE GAST, G.C. Human tonsil B lymphocyte function. I. The proliferative response to *Staphylococcus aureus* and pokeweed mitogen in relation to surface heavy chains μ and δ , 709
- MURAKAMI, H., *see* YOSHIOKA, K.
- MURAKAWA, Y., *see* KOTANI, H.
- MURRAY, L.J., SWERDLOW, S.H. & HABESHAH, J.A. Distribution of B lymphocyte subsets in normal lymphoid tissue, 399
- NAKAO, Y., MATSUMOTO, H., TSUJI, K., MIYAZAKI, T., MASAOKA, T., NAKAYAMA, S., KINOSHITA, K., SHINGAMI, T., MATSUI, T. & FUJITA, T. IgG heavy chain allotype (Gm), a genetic marker for human chromosome 14q32, and haematopoietic malignancies, 628
- NAKAYAMA, S., *see* NAKAO, Y.
- NENCIONI, L., *see* TAGLIAPIU, A.
- NICKERSON, D.A. & FAIRCLOUGH, P. Immune responsiveness following intratracheal inoculation with *Histoplasma capsulatum* yeast cells, 335
- NOBLE, B., ANDRES, G.A. & BRENTJENS, J.R. Passively transferred anti-brush border antibodies induce injury of proximal tubules in the absence of complement, 281
- NOBLE, B., *see* ALBINI, B.
- NOMOTO, K., *see* SAKAMOTO, Y.
- NOVEY, H., *see* FUCHS, H.B.
- OGRA, P.L., *see* KAUL, T.N.
- OKA, T., *see* UEKI, A.
- ONG, K., *see* FUCHS, H.B.
- ORME, I.M. & COLLINS, F.M. Demonstrations of acquired resistance in *Bcg*^r inbred mouse strains infected with a low dose of BCG Montreal, 81
- OSSI, E., *see* ALBINI, B.
- OTTESEN, E.A., *see* KAUSHAL, N.A.
- PACHNER, A.R. & KANTOR, F.S. *In vitro* and *in vivo* actions of acetylcholine receptor educated suppressor T cell lines in murine experimental autoimmune myasthenia gravis, 659
- PAGE FAULK, W., *see* SINHA, D.
- PANAYI, G.S., *see* DUKE, O.L.
- PANAYI, G.S., *see* PATEL, V.
- PANDEY, J.P., *see* GALBRAITH, G.M.P.
- PAPAMICHAIL, M., *see* VAREY, A.-M.
- PARDO, I., CARAFA, C., DZIARSKI, R. & LEVINSON, A.I. Analysis of *in vitro* polyclonal B cell differentiation responses to bacterial peptidoglycan and pokeweed mitogen in rheumatoid arthritis, 253
- PARRISH, J.A., *see* PRETELL, J.O.
- PARTRIDGE, L., JEFFERIS, R., HARDIE, D., LING, N.R. & RICHARDSON, P. Subclasses of IgG on the surface of human lymphocytes: a study with monoclonal antibodies, 167
- PASCUAL-SALCEDO, D., *see* ZABAY, J.M.
- PASSWELL, J., SHOR, R., KEREN, G., MESSER, G. & EL-ON, J. Comparison of the effect of various stimuli on the leishmaniocidal capacity of human monocytes *in vitro*, 553
- PATEL, V. & PANAYI, G.S. Enhanced T helper cell function for the spontaneous production of IgM rheumatoid factor *in vitro* in rheumatoid arthritis, 584
- PAYNE, S.N., *see* BRETT, S.J.
- PECHET, M., *see* BEATTY, D.W.
- PEGORARO, L., *see* FOA, R.

- PEPYS, M.B., *see* RIDLEY, M.J.
- PERRIN, L.H., LOCHE, M., DEDET, J.-P., ROUSSILHON, C. & FANDEUR, T. Immunization against *Plasmodium falciparum* asexual blood stages using soluble antigens, 67
- PERSSON, M.A.A., *see* FREUD, A.
- PESET REIG, R., *see* JANSEN, H.M.
- PINCHING, A.J. The acquired immune deficiency syndrome, 1
- PISETSKY, D.S., SALISTAD, D.M. & CHAMBERS, J.C. Characterization and idiotype analysis of an anti-RNP monoclonal antibody, 593
- PITTARD, W.B., *see* MILLER, K.M.
- PLAGNE, R., *see* BERNARD, D.
- POPPEMA, S., *see* EGGINK, H.F.
- POULTER, L.W., *see* DUKE, O.L.
- PRETELL, J.O., WIMBERLY, J. & PARRISH, J.A. Ultra violet radiation-induced defects in accessory cell function in the human proliferative response to tetanus, 105
- PUJOL-BORREL, R., *see* ROITT, I.M.
- RASKER, J.J., *see* DUKE, O.L.
- RASPADORI, D., *see* LAURIA, F.
- RAVARINO, N., *see* COSTA, A.
- READ, S.E., *see* WILLIAMS, B.R.G.
- REITANO, M., *see* DE PAOLI, P.
- RENNIE, D.P., *see* WEETMAN, A.P.
- RICCI, C., *see* HUWYLER, T.
- RICHARDSON, B.A., *see* THORNE, K.J.I.
- RICHARDSON, P., *see* PARTRIDGE, L.
- RIDLEY, D.S., *see* RIDLEY, M.J.
- RIDLEY, M.J., RIDLEY, D.S., DE BEER, F.C. & PEPYS, M.B. C-reactive protein and apoB containing lipoproteins are associated with *Mycobacterium leprae* in lesions of human leprosy, 545
- RODECK, C.H., *see* LINCH, D.C.
- ROITT, I.M., PUJOL-BORREL, R., HANAFUSA, T., DELVES, P.J., BOTTAZZO, G.F. & KOHN, L.D. Asialoagallocthyroglobulin binds to the surface of human thyroid cells at a site distinct from the 'microsomal' autoantigen, 129
- ROSENBERG, H., *see* HAUSER, G.J.
- ROUSSILHON, C., *see* PERRIN, L.H.
- RUSÉ, F., *see* BERNARD, D.
- RYDER, C.R., *see* BEATTY, D.W.
- SABHARWAL, U.K., *see* ADLER, T.R.
- SÁ FERREIRA, J.A., *see* GALVÃO-CASTRO, B.
- SAKAMOTO, Y., SANUI, H., YOSHIDA, S. & NOMOTO, K. Local passive transfer of delayed type hypersensitivity to syngeneic testicular cells in mice, 351
- SAKANE, T., *see* KOTANI, H.
- SALISTAD, D.M., *see* PISETSKY, D.S.
- SANTINI, G., *see* DE PAOLI, P.
- SANUI, H., *see* SAKAMOTO, Y.
- SAUVEZIE, B., *see* BERNARD, D.
- SCHILHAM, M., *see* KRAAIJEVELD, C.A.
- SCHMITZ, B., GEHRUNG, M., THORNTON, M. & SPETH, V. The role of antibody and complement in the cellular response to *Trypanosoma congolense*, 73
- SCHREIBER, L., MELSOM, R.D., VENABLES, P.J.W., MCCARTHY, D.A. & MAINI, R.N. Specific auto-antibody slows the rapid plasma clearance of ¹²⁵I-SS-B (La) in mice, 621
- SCHUIT, H.R.E., HUMANS, W. & JANSEN, J. Surface bound or cytoplasmic immunoglobulins: interpretation of the immunofluorescence observed in cyto-centrifuge slides of human lymphocytes, 694
- SCHUTTE, A.J.H., *see* JANSEN, H.M.
- SCOTT, D.G.I., SKINNER, R.P., BACON, P.A. & MADDISON, P.J. Precipitating antibodies to nuclear antigens in systemic vasculitis, 601
- SELBY, W.S., *see* GIBSON, P.R.
- SHALL, S., *see* CLAYTON, A.-L.
- SHAW, R.J., CROMWELL, O. & KAY, A.B. Preferential generation of leukotriene C₄ by human eosinophils, 716
- SHERIDAN, P.W., *see* MOORE, T.L.
- SHINGAMI, T., *see* NAKAO, Y.
- SHOR, R., *see* PASSWELL, J.
- SIMMONDS, H.A., *see* GODAY, A.
- SIMMONDS, H.A., *see* LINCH, D.C.
- SINHA, D., WELLS, M. & PAGE FAULK, W. Immunological studies of human placenta: complement components in pre-eclamptic chorionic villi, 175
- SKINNER, R.P., *see* SCOTT, D.G.I.
- SLATER, L., *see* FUCHS, H.B.
- SLUITER, H.J., *see* JANSEN, H.M.
- SMITH, C.I.E., *see* FREUD, A.
- SNIPPE, H., *see* KRAAIJEVELD, C.A.
- SORENSEN, R.U., *see* MILLER, K.M.
- SPETH, V., *see* SCHMITZ, B.
- SPIRER, Z., *see* HAUSER, G.J.
- SPITLER, L.E., *see* LEVY, J.A.
- STRICKLAND, R.G., *see* GIBSON, P.R.
- SUEISHI, M., *see* KOIKE, T.
- SUNDAR, S.K., BERGERON, J. & MENEZES, J. Purified plasminogen activating factor produced by malignant lymphoid cells abrogates lymphocyte cytotoxicity, 701
- SUZUKI, N., *see* KOTANI, H.
- SWERDLOW, S.H., *see* MURRAY, L.J.
- TAGLIABUE, A., NENCIONI, L., VILLA, L. & BORASCHI, D. Genetic control of *in vitro* natural cell-mediated activity against *Salmonella typhimurium* by intestinal and splenic lymphoid cells in mice, 531
- TAKADA, S., *see* KOTANI, H.
- TAKIGUCHI, M., TAMURA, T., KUSAKAWA, S., MINGROM, F. & KANO, K. Immunological studies on Kawasaki disease. I. Appearance of Hanganutziu-Deicher antibodies, 343
- TALAL, N., *see* DANG, H.
- TAMURA, T., *see* TAKIGUCHI, M.
- TAN, Y.H., *see* YU-WEN, H.
- TAVASSOLI, M., *see* CLAYTON, A.-L.
- TAZZARI, P.L., *see* LAURIA, F.
- TESTORI, O., *see* COSTA, A.
- THE, T.H., *see* JANSEN, H.M.
- THIERS, B.H., *see* GALBRAITH, G.M.P.
- THORNE, K.J.I. & FRANKS, D. Surface proteins of the human eosinophil. I. Isolation of eosinophil IgG binding proteins, 464
- THORNE, K.J.I., RICHARDSON, B.A. & BUTTERWORTH, A.E. Surface proteins of the human eosinophil. II. Effects of *Schistosoma mansoni* larvae on eosinophil surface proteins, 577
- THORNTON, M., *see* SCHMITZ, B.
- TOMIOKA, H., *see* KOIKE, T.

- TRAININ, N., *see* BEATTY, D.W.
TSUJI, K., *see* NAKAO, Y.
TURA, S., *see* LAURIA, F.
TURCOTTE, R., CHAPUT, J. & LEMIEUX, S. Enhancement of resistance in *Mycobacterium lepraemurium* infected C3H mice by treatment with *M. lepraemurium* or splenectomy, 97
UEDA, Y., *see* KOTANI, H.
UEKI, A., OKA, T. & MOCHIZUKI, Y. Proliferation stimulating effects of chrysotile and crocidolite asbestos fibres on B lymphocyte cell lines, 425
VALMAGGIA, P., *see* COSTA, A.
VAN ES, L.A., *see* DAHA, M.R.
VAN HOUTE, A.J., *see* KRAADEVELD, C.A.
VAN RENS, M.M., *see* KLATSER, P.R.
VAREY, A.-M., COOKE, A., DIMITROPOULOS, G. & PAPAMICHAIL, M. Mitogenic effects of glycolipoprotein extract from *Pseudomonas aeruginosa*, 431
VENABLES, P.J.W., *see* SCHRIEBER, L.
VENTURA, M.T., *see* ANTONACI, S.
VERBERNE, C.J.M., *see* MUDDE, G.C.
VERHAAR, H.J.J., *see* GIBSON, P.R.
VILLA, L., *see* TAGLIABUE, A.
VILLALTA, D., *see* DE PAOLI, P.
VOSSEN, J.M., *see* ASMA, G.E.M.
WAGNER, H.P., *see* HUWYLER, T.
WARD, C., *see* HAMID, J.
WEETMAN, A.P., MCGREGOR, A.M., RENNIE, D.P., HASSMAN, R. & HALL, R. The role of the spleen in experimental autoimmune thyroiditis, 135
WEETMAN, A.P., MCGREGOR, A.M., WHEELER, M.H. & HALL, R. Extrathyroidal sites of autoantibody synthesis in Graves' disease, 328
WELLS, M., *see* SINHA, D.
WHEELER, M.H., *see* WEETMAN, A.P.
WILLIAMS, B.R.G., READ, S.E. & GELFAND, E.W. *In vitro* hyporeactivity to α -interferon in children with severe combined immunodeficiency disease, 34
WIMBERLY, J., *see* PRETELL, J.O.
WOLTERS, G., *see* EGGINK, H.F.
YOSHIDA, S., *see* KOIKE, T.
YOSHIDA, S., *see* SAKAMOTO, Y.
YOSHIOKA, Y., KAKUMI, S., MURAKAMI, H. & FUKUI, K. Interleukin-2 activity in chronic active liver diseases: response by T cells and in the autologous mixed lymphocyte reaction, 669
YU-WEN, H., GUO-XUNG, X. & TAN, Y.H. Spontaneous production of human gamma interferon *in vitro* by splenic lymphocytes of patients with idiopathic thrombocytopenic purpura, 459
ZABAY, J.M., FONTÁN, G., CAMPOS, A., GARCÍA-RODRIGUEZ, M.C., PASCUAL-SALCEDO, D., BOOTELLO, A. & DE LA CONCHA, E.G. Disorders of regulatory T cell function in patients with the Wiskott-Aldrich syndrome, 23
ZAKUTH, V., *see* HAUSER, G.J.
ZOPPETTI, G., *see* COSTA, A.
ZUCKNER, J., *see* MOORE, T.L.

SUBJECT INDEX

- Accessory cells, 607
- Acetylcholine receptors, 659
- Acquired immunodeficiency, 479
- Activator synergism, 415
- Adenosine deaminase deficiency
 - enzyme inhibitors, 39
 - T cell deficiency, 223
- Adjuvant, 509
- AIDS (acquired immune deficiency syndrome)
 - interleukin-2, 14
 - lymphocyte phenotypes, 476
 - review, 1
- Alopecia areata, 148
- Allergy, 716
- Altered immunoregulation, 289
- Alternative pathway, 205
- 8-Aminoguanosine, 39
- Antibodies
 - affinity, 637
 - anti-DNA, 193
 - anti-cardiolipin, 193
 - anti-nuclear, 263
 - anti-RNP, 593
 - anti-thyroglobulin, 381
 - cellular response, 73
 - deficiency, 18
 - Mycobacterium leprae*, 537
 - Naegleria fowleri*, 559
- Antigens
 - activation linked, 476
 - Mycobacterium leprae*, 537
 - nuclear, 621
 - presentation, 105
- ApoB, 545
- Asbestos, 425
- Asexual blood stages, 67
- Autoantibodies
 - C42, 614
 - Graves' disease, 328
 - renal glycosuria, 289
 - ribonucleoprotein, 593
 - thyroglobulin, 381
- Autoimmunity
 - american leishmaniasis, 58
 - LN cell proliferation, 359
 - myasthenia gravis, 659
 - plasma clearance, 621
 - tubulointerstitial nephritis, 153
- Autoimmune thyroiditis, 135
- Autologous mixed lymphocyte reaction
 - immune regulatory circuits, 388
 - interleukin-2 activity, 669
- BFP-STs, 193
- B cells
 - activation, 58
 - differentiation, 415
 - subpopulations, 431
- Bcg* gene, 81
- Binding, 464
- Biocompatibility, 205
- B lymphocytes
 - asbestos, 425
 - fetal development, 407
 - rheumatoid arthritis, 584
 - subsets, 399
- Bone marrow, 328
- Bronchial carcinoma, 319
- Bronchoalveolar lavages, 309
- Brush border, 281
- t-Butyl hydroperoxide, 524
- BXSB mice, 272
- C3 convertase, 614
- C3a, 205
- C3b receptors, 319
- C42 autoantibodies, 614
- C5a, 205
- Chemiluminescence, 73
- Chemotaxis, 319
- Chromosome 14q32, 628
- Circulating immune complexes, 58
- Collagen vascular diseases, 309
- Common variable immunodeficiency, 29
- Complement
 - activation
 - IgG subclass, 381
 - virus-induced, 501
 - cellular response, 73
 - chorionic villi, 175
 - neutrophil activation, 559
- Cord blood, 415
- Cortisol, 49
- C-reactive protein, 545
- Crohn's disease, 159
- Cyclophosphamide, 351
- Cytochrome slide, 694
- Cytoplasmic immunoglobulins, 694
- Cytotoxicity
 - cell-mediated, 438
 - lymphocyte kinetics, 515
 - respiratory syncytial virus, 501
 - Trypanosoma congolense*, 73
- DNA, 185
- DNA-anti-DNA immune complexes, 185
- dsDNA, 263
- Decomplementation, 281
- Delayed type hypersensitivity, 351
- Deoxycoformycin, 49
- Desferrioxamine, 524
- Down's syndrome, 493
- Drug-induced ANA, 263
- Dysglobulinaemia, 200
- EHNA, 39
- ELISA
 - antigenic determinants, 89
 - IgG subclasses, 233
- Eczema, 645
- Encephalomyocarditis virus, 509
- Endemic goitre, 143
- Epstein-Barr virus
 - lymphocyte transformation, 369
 - plasminogen activating factor, 701

- Eosinophils
 - leukotriene generation, 716
 - surface proteins, I, 464
 - surface proteins, II, 577
- E-S antigen, 567
- F-42, 614
- Factor H, 453
- Fc receptors, 319
- Filariasis, 567
- Gm, 628
- Gm allotypes, 149
- gp 70, 272
- Germinal centre, 399
- Glomerulonephritis, 293
- Glutathione, 524
- Glycolipoprotein, 431
- Glycoprotein purification, 215
- Graves' disease, 328
- HLA B8-DR3, 293
- HLA/DR antigens, 215
- HLA-DR4, 584
- Hanganutziu-Deicher antibody, 343
- Heavy chain, 709
- Helper activity, 388
- Hepatitis, 121
- Heymann nephritis, 281
- Histoplasmosis, 335
- Human, 567
- Human breast carcinoma, 215
- Human fetus, 407
- Human normal breast, 215
- Human visceral leishmaniasis, 58
- Humoral response, 509
- Hybridoma, 114
- Hyperimmunoglobulinaemia, 200
- Hypersensitivity pneumonitis, 300
- IgA, 300
- IgA deficiency
 - common variable immunodeficiency, 29
 - systemic, 18
- IgE, 645
- IgG, 464
- sIgG, 167
- IgG4, 645
- IgG subclasses
 - anti-pneumococcal activity, 233
 - anti-thyroglobulin, 381
 - lymphocyte surface, 167
 - serum levels, 473
- IgG Fc receptors, 319
- Idiopathic thrombocytopenic purpura, 459
- Idiotypic, 593
- Immune complexes
 - disease, 637
 - interstitial pulmonary fibrosis, 309
 - juvenile arthritis, 247
 - Kawasaki disease, 343
 - lupus nephritis, 272
 - plasma clearance, 621
- Immunity
 - Histoplasma capsulatum*, 335
 - inflammatory bowel disease, 159
- Immunization, 67
- Immunodeficiency, 34
- Immunodeficient patients, 486
- Immunodiagnosis, 567
- Immunofluorescence, 694
- Immunoglobulins
 - lymphocyte, 694
 - secretion, 159
- Immunohistology, 239
- Immunoperoxidase staining, 215
- Immunoprophylaxis, 97
- Immunosuppression, 49
- Inflammatory bowel disease, 159
- Interferon
 - Down's syndrome, 493
 - hyporeactivity, 34
 - spontaneous production, 459
- Interleukin-1, 105
- Interleukin-2
 - AIDS, 14
 - common variable immunodeficiency, 29
 - liver disease, 669
 - LN cell proliferation, 359
- Interstitial pulmonary fibrosis, 309
- Intestinal mononuclear cells, 438
- Intestinal mucosa, 445
- Intratracheal, 335
- Juvenile arthritis, 247
- Kawasaki disease, 343
- Killing, 559
- LTB₄, 716
- LTC₄, 716
- Leishmaniasis, 553
- Leprosy, 545
- Leu 7 positive cells, 486
- Leukaemia, 628
- Lipoproteins
 - immune effects, 677
 - leprosy lesions, 545
- Liposomes, 509
- Liver disease
 - immune reactions, 121
 - interleukin-2 activity, 669
- lpr* gene, 359
- Lung immunity, 300
- Lupus nephritis, 272
- Lymph, 515
- Lymph nodes, 328
- Lymphocytes
 - cytotoxic 515
 - IgG, 167
 - immortalization, 367
 - immunoglobulins, 694
 - intestinal, 531
 - subpopulations
 - hepatitis B, 121
 - renal glycosuria, 289
 - surgery, 49
- Lymphocytic thyroiditis, 143
- Lymphokines, 553
- Macrophages
 - subpopulations, 239

- Macrophages (*cont.*)
 Factor H stimulation, 453
Malaria
 immunization, 67
 lymphocyte transformation, 369
 radical-mediated damage, 524
Malonyldialdehyde, 524
Measles, 479
Melanoma, 114
Mesenteric lymph node, 445
Mesenteric blood, 445
MHC class II antigens, 683
Mitogens
 glycolipoprotein extract, 431
 lymphocyte population, 49
Monoclonal antibodies
 B lymphocyte subsets, 399
 lymphocyte phenotypes, 476
 T lymphocyte phenotype, 653
Monoclonal antisera, 473
Monocytes
 accessory function, 607
 bronchial carcinoma, 319
 human, 553
Mononuclear cells
 proliferative response, 105
 subsets, 445
Murine autoimmunity, 593
Myasthenia gravis, 659
Mycobacterium leprae
 antigen characterization, 537
 antigenic determinants, 89
Mycobacterium lepraemurium, 97

Naegleria fowleri, 559
Natural killer activity, 486
Natural killer cells
 common variable immunodeficiency, 29
 compartmentalization, 445
 Down's syndrome, 493
 human intestine, 435
 severe combined immunodeficiency, 34
Natural killer cytotoxicity, 677
Neutrophils
 activation, 559
 cytotoxicity, 501
 leukotriene generation, 716

Oncogene, 628
Ontogeny, 407
Oral antigens, 637
Otitis media, 233

PNP, 39
Paget's disease, 200
D-penicillamine, 607
Peptidoglycan, 253
Phenolic glycolipid, 89
Placenta, 175
Placental sink, 175
Plaque forming cells
 differentiation, 415
 generation, 677
Plasma clearance, 621
Plasminogen activating factor, 701

Plasmodium falciparum
 immunization, 67
 lymphocyte transformation, 369
Pokeweed mitogen
 B cell differentiation, 415
 B lymphocyte proliferation, 709
 T lymphocytes, 653
Poly (ADP-ribose), 263
Polyclonal B cells
 activation, 58
 differentiation, 253
Polygene, 628
Pneumococcal antibody, 233
Pre-B lymphocytes, 407
Precipitating antibodies, 601
Pre-eclampsia, 175
Prenatal diagnosis, 223
Proliferation, 709
Prostaglandin E, 453
Pseudomonas, 431
Pulmonary inflammation, 300

Renal glycosuria, 289
Renal immunopathology, 281
Resistance
 acquired, 81
 enhancement, 97
 natural
 Bcg^f mice, 81
 Salmonella typhimurium, 531
Respiratory allergy, 645
Respiratory syncytial virus, 501
Reticuloendothelial function, 293
Review, 1
Rheumatoid arthritis
 B cell differentiation, 253
 precipitating antibodies, 601
 rheumatoid factor production, 584
 sulphydryl oxidation, 607
Rheumatoid factor
 complex precipitation, 247
 spontaneous production, 584
Rheumatoid nodule, 239

SS-B, 621
Saline tissue extracts, 601
Salmonella typhimurium, 531
Schistosoma mansoni, 577
SDS-PAGE immunoperoxidase assay, 537
Secretory IgA, 300
Semliki Forest virus, 509
Severe combined immunodeficiency, 223
Sheep, 515
Specific disaccharide, 89
Splenectomy
 autoimmune thyroiditis, 135
 resistance enhancement, 97
Staphylococcus aureus
 B lymphocyte proliferation, 709
 Cowan I, 415
Stimulation, 425
Sulphydryl group, 607
Suppressor activity, 388
Surface immunoglobulins, 694

- Surface proteins
 - eosinophils, I, 464
 - eosinophils, II, 577
- Surgery, 49
- 2-5A synthetase, 34
- Systemic lupus erythematosus
 - anti-RNP, 593
 - autoantibodies, 614
 - DNA size, 185
 - poly (ADP) 263
 - syphilis testing, 193
- T8⁺ cells, 683
- TBM antibodies, 153
- T cells
 - function, 23
 - helper, 584
 - subsets
 - analysis, 29
 - interleukin-2 activity, 669
 - regulatory circuits, 388
 - suppressor, 659
- T colonies, 375
- Testicular cells, 351
- Tetanus toxoid, 18
- 12-*o*-tetradecanoyl-phorbol-13-acetate, 375
- Thromboxane B₂, 453
- Thymic hormones, 479
- Thyroglobulin
 - antibodies, 135
 - binding, 129
- Thyroid
 - cells, 129
 - microsomal antigens, 129
- Thyroiditis, 129
- T lymphocytes
 - colony growth, 375
 - multiple myeloma, 653
- Tonsil, 709
- Transplacental antibody transmission, 153
- Trisomy-21, 493
- Trophoblast, 175
- Trypanosoma congolense*, 73
- T subset ratios, 476
- Tubulo-interstitial nephritis, 153
- Ulcerative colitis, 159
- u.v. radiation, 105
- Vaccinia, 515
- Vasculitis, 601
- Viral antigens, 121
- Wiskott-Aldrich syndrome, 23
- Xenotropic, 114
- Yeast cells, 335

